

LED Flashlight



Item:MD-FLASHLIGHT-600

FEATURES:

- * CREE XM-L LED high power led torch .
- * Rugged aerospace-grade aluminum body, Hardest type III Military grade black or gray anodizing .
- * O-ring sealed, waterproof in 1 meter deep water above and weatherproof.
- * Toughened ultra clear glass lens .
- * Best focus reflector for a flawless beam.
- * Li-ion battery discharge protected.
- * Wrong polarity of battery inset protected.
- * Press the tail switch in series , the brightness has 5 modes : Max (100%)- Mid (50%)-Min(10%)- Blinking (50%)-low battery warning blinking .

SPECIFICATIONS

LED:1*CREE XM-L

Max Output:800 Lumens

Runtime: 1 hour

Battery: 1* 18650 or 2*CR123A

Recharge time : 5 hours

Distance: 270 M

Length: 155mm ,Head diameter: 46mm, Body diameter: 25mm

Weight: 215g(excluding battery)

Full Set:With lanyard,1pc AC009 3.5DC plug AC charger,1pc C24 lithium battery holder,1pc 18650 rechargeable lithium battery,1pc Nylon pouch,Color gift box packing with Instruction Manual and Warranty Card



Tactical light

F7

Item:MD-FLASHLIGHT-F7

FEATURES

- * Steel Crenellated head with the lid of tailcap
- * Rugged aerospace-grade aluminum body, Type III hardest anodizing in black .
- * O-ring sealed, waterproof in 1 meter deep water above and weatherproof
- * Toughened ultra clear glass lens .
- * Aluminum reflector for a flawless beam.
- * Li-ion battery discharge protected
- * Wrong polarity of battery inset protected.
- * CREE Premium (R5) XP-G LED with lifespan of 50,000 hours
- * Five output types:Max-> Med -> Min ->SOS->Strobe

SPECIFICATIONS

LED: CREE R5
Max Output: 335 Lumens
Runtime: 1.5 hours
Battery: 1* 18650 or 2*CR123A
Recharge time : 5 hours
Distance: 200M
Length: 139mm
Head diameter : 34mm
Body diameter: 25mm
Weight: 135g (excluding batteries)

Full Set:with lanyard,1pc AC009 3.5DC plug AC charger,1pc C24 lithium battery holder,1pc 18650 rechargeable lithium battery,1pc Nylon pouch,Color gift box packing with Instruction Manual and Warranty Card



Item:MD-FLASHLIGHT-408N

FEATURES

- * Rugged aerospace-grade aluminum body, Mil-Spec Type III hard anodizing in black.
- * O-ring sealed, waterproof in 1 meter deep water above and weatherproof.
- * Toughened ultra clear glass lens.
- * Aluminum reflector for a flawless beam.
- * Tail cap switch: press for constant-on or momentary-on.
- * Li-ion battery discharge protected.
- * Wrong polarity of battery inset protected.
- * CREE Premium (Q5) 7090 XR-E LED with lifespan of 50,000 hours.
- * Four types output Max -> Min -> Blinking - low voltage warning .

SPECIFICATIONS

LED: 1*CREE Q5 LED

Max Output: 225 Lumens

Runtime: 2.5 hours

Battery: 1*18650 or 2 * CR123A

Recharge time : 5hours

Distance: 180 M

Input voltage type: 3~6V

Length: 133mm

Head diameter: 34.5mm

Body diameter: 25mm

Weight: 116g (excluding batteries)

Full Set:with lanyard,1pc AC009 3.5DC plug AC charger,1pc C24 lithium battery holder,1pc 18650 rechargeable lithium battery,1pc Nylon pouch,Color gift box packing with Instruction Manual and Warranty Card



Item:MD-FLASHLIGHT-F6

FEATURES

- * Crenellated head and Rugged aerospace-grade aluminum body, Type III hardest anodizing in black
- * O-ring sealed, waterproof in 1 meter deep water above and weatherproof.
- * Toughened ultra clear glass lens.
- * Aluminum reflector for a flawless beam.
- * Li-ion battery discharge protected.
- * Wrong polarity of battery inset protected.
- * CREE Premium (Q5) 7090 XR-E LED with lifespan of 50,000 hours.
- * Five output types:Max-> Med -> Min ->Strobe->SOS.

SPECIFICATIONS

LED: CREE Q5

Max Output: 200 Lumens

Runtime: 2.5 hours

Battery: 1*18650 or 2*CR123A Recharge time : 5hours

Distance: 300 M

Length: 146.00mm

Head diameter: 45.00mm

Body diameter: 25mm

Weight: 199g (excluding batteries)

Full Set: with lanyard, 1pc AC009 3.5DC plug AC charger, 1pc C24 lithium battery holder, 1pc 18650 rechargeable lithium battery, 1pc Nylon pouch, Color gift box packing with Instruction Manual and Warranty Card



Item:MD-FLASHLIGHT-KR08

FEATURES:

- * Rugged aerospace-grade aluminum body, available with Type III hardest anodizing in black or Mil-Spec Type III hard anodizing in olive drab;
- * O-ring sealed, waterproof in 1 meters deep water above and weatherproof;
- * Toughened ultra clear glass lens ;
- * Aluminum reflector for a flawless beam;
- * Tail cap switch;
- * Li-ion battery discharge protected ,
- * Wrong polarity of battery inset protected;
- * Switch lockout prevents accidental activation during transport or storage;
- * Press tail switch in series,the brightness has 3 mode:Max-Min-Blinking

SPECIFICATIONS

1*CREE-Q5 LED

Max Output:225Lumen

Runtime:2.5 hours

Battery:1*18650 or 2*CR123A

Recharge time : 5 hours

Distance: more than 300M

Length: 136mm, Head diameter:34mm, Body diameter:26.6mm

Weight:120g(excluding battery)

Full Set:with lanyard,1pc AC009 3.5DC plug AC charger,1pc C24 lithium battery holder,1pc 18650 rechargeable



Item:MD-FLASHLIGHT-M8

FEATURES:

- * CREE MC-E LED high power led torch .
- * Rugged aerospace-grade aluminum body, Hardest type III Military grade black anodizing .
- * O-ring sealed, waterproof in 1 meter deep water above and weatherproof.
- * Toughened ultra clear glass lens .
- * Best focus reflector for a flawless beam.
- * Li-ion battery discharge protected.
- * Wrong polarity of battery inset protected.
- * Press the tail switch in series , the brightness has 5 modes : Max (100%)- Mid (50%)-Min(10%)- Blinking (50%)-low battery warning blinking .

SPECIFICATIONS

1*CREE-Q5 LED
Max Output:225Lumen
Runtime:2.5 hours
Battery:1*18650 or 2*CR123A
Recharge time : 5 hours
Distance: more than 300M
Length: 136mm
Head diameter:34mm
Body diameter:26.6mm
Weight:120g(excluding battery)

Full Set:with lanyard,1pc AC009 3.5DC plug AC charger,1pc C24 lithium battery holder,1pc18650 rechargeable lithium battery,1pc Nylon pouch,Color gift box packing with Instruction Manual and Warranty Card



Item:MD-FLASHLIGHT-M9

- * CREE MC-E LED high power led torch .
- * Rugged aerospace-grade aluminum body, Hardest type III Military grade black anodizing .
- * O-ring sealed, waterproof in 1 meter deep water above and weatherproof.
- * Toughened ultra clear glass lens .
- * Best focus reflector for a flawless beam.
- * Li-ion battery discharge protected.
- * Wrong polarity of battery inset protected.
- * Press the tail switch in series , the brightness has 5 modes : Max (100%)- Mid (50%)-Min(10%)- Blinking (50%)-low battery warning blinking .

SPECIFICATIONS

LED:1*CREE MC-E LED
Max Output: 630 Lumens
Runtime: 1 hour
Battery: 1* 18650 or 2*CR123A
Recharge time : 5 hours
Distance: 150 M
Length: 136mm, Head diameter: 34mm, Body diameter: 26.6mm
Weight: 140g(excluding battery)

Full Set:with lanyard,1pc AC009 3.5DC plug AC charger,1pc C24 lithium battery holder,1pc18650 rechargeable lithium battery,1pc Nylon pouch,Color gift box packing with Instruction Manual and Warranty Card



Item:MD-FLASHLIGHT-M12

FEATURES

- * Body switch and Rugged aerospace-grade aluminum body, Hardest type III Military grade black anodizing .
- * O-ring sealed, waterproof in 1 meter deep water above and weatherproof.
- * Toughened ultra clear glass lens.
- * Aluminum reflector for a flawless beam.
- * Li-ion battery discharge protected
- * Wrong polarity of battery inset protected
- * Multifunctional brightness operation:--Max brightness mode-- Adjustable brightness mode -- Four blinking modes -- Low voltage warning mode

SPECIFICATIONS

1*CREE MC-E LED

Max Output:630 Lumens

Runtime: 1 hour

Battery: 1*18650 or 2 * CR123A

Recharge time: 5 hours

Distance: 150 M

Length: 134mm

Head diameter: 34mm

Body diameter: 26.6mm

Weight: 103g(excluding battery)

Full Set:with lanyard,1pc AC009 3.5DC plug AC charger,1pc C24 lithium battery holder,1pc 18650 rechargeable lithium battery,1pc Nylon pouch,Color gift box packing with Instruction Manual and Warranty Card



Item:MD-FLASHLIGHT-KR09

FEATURES

- * Body switch and Rugged aerospace-grade aluminum body, Hardest type III Military grade black anodizing .
- * O-ring sealed, waterproof in 1 meter deep water above and weatherproof.
- * Toughened ultra clear glass lens.
- * Aluminum reflector for a flawless beam.
- * Li-ion battery discharge protected
- * Wrong polarity of battery inset protected
- * Multifunctional brightness operation:--Max brightness mode-- Adjustable brightness mode-- Four blinking modes
- Low voltage warning mode

SPECIFICATIONS

1*CREE-Q5 LED
Max Output: 220Lumens
Runtime: 2 hours
Battery: 1* 18650 or 2*CR123A
Recharge time : 5 hours
Distance: 200 M
Length: 134mm
Head diameter: 34mm
Body diameter: 26.6mm
Weight: 170g(excluding battery)

Full Set:with lanyard,1pc AC009 3.5DC plug AC charger,1pc C24 lithium battery holder,1pc 18650 rechargeable lithium battery,1pc Nylon pouch,Color gift box packing with Instruction Manual and Warranty Card



Mini Led Flashlight Mini800

Item:MD-FLASHLIGHT-Mini800

FEATURES

- * 4 cut sides body finished.
- * High power mini flashlight.
- * Push-button tail cap switch.
- * Rugged aerospace-grade aluminum body, Type III hardest anodized in black.
- * O-ring sealed, waterproof in 1 meter deep water above and weatherproof.
- * Toughened ultra clear glass lens.
- * Best focus reflector for a flawless beam.
- * Li-ion battery discharge protected.
- * Wrong polarity of battery inset protected.

SPECIFICATIONS

LED:1*CREE-Q5 LED

Max Output: 180 Lumens

Runtime: 3 hours

Battery: 1*18650 or 2*CR123A

Distance: 100 M

Length: 118.5mm

Head diameter: 23mm

Body diameter: 23mm

Weight: 56g(excluding battery)

Full Set:with lanyard,1pc AC009 3.5DC plug AC charger,1pc C24 lithium battery holder,1pc 18650 rechargeable lithium battery,1pc Nylon pouch,Color gift box packing with Instruction Manual and Warranty Card



Item:MD-FLASHLIGHT-Mini340

Features:

- * Ultra compact pocket clip light with negligible volume and weight can simply be fastened on the table.
- * CNC made aerospace-grade aluminum body, Type III hardest anodized in black.
- * O-ring sealed, weatherproof.
- * Toughened ultra clear glass lens.
- * Aluminum reflector for a flawless beam.
- * Twist switch.
- * Li-ion battery discharge protected.
- * Wrong polarity of battery inset protected.
- * Capable of standing up securely on a flat surface to serve as a candle.

SPECIFICATIONS

LED:CREE Q5

Max Output: 165 Lumens

Runtime: 1 hour

Battery: 1* rechargeable 16340 li-ion battery

Distance: 60 M

Length: 76.6mm

Head diameter:21 mm

Body diameter: 21 mm

Weight: 38g (excluding batteries)

Full Set:with 1pc AC009 3.5DC plug AC charger,1pc C24 lithium battery holder,1pc 16340 rechargeable lithium battery,Color gift box packing with Instruction Manual and Warranty Card

Directly rechargeable led flashlight



Item:MD-FLASHLIGHT-700

FEATURES

- * Especially the longest runtime design and patented.
- * The directly recharge by adapter charger from 110V to 240V voltage AC designed.
- * Rubber cover for recharge hole designed.
- * Roll blocked.
- * Rugged aerospace-grade aluminum body, Type III hardest anodized in black.
- * O-ring sealed, weatherproof.
- * Toughened ultra clear glass lens.
- * The side switch: press for constant-on.
- * Li-ion battery discharge protected.
- * Charge and recharge protected Li-ion battery.
- * Capable of standing up securely on a flat surface to serve as a candle.
- * Accessories included: Charger, 2 x 18650 Batteries with protection board inside, Buckle strap and Lanyard.

SPECIFICATIONS

1 * CREE Q5 LED

Max Output: 100-120Lumens

Runtime: 8hours

Battery: dual 18650 li-ion with protection board kits(rechargeable)

Recharge time: 8 hours

Distance: 500 M

Length: 261.5mm

Head diameter: 60.5mm,Body diameter: 30mm,Weight: 506 g (with batteries)

Full Set:with Buckle strap + AC adapter charger AC009 + 2*Li-ion 18650 battery included , Color gift box packing with Instruction Manual and Warranty Card



Item:MD-FLASHLIGHT-701

FEATURES

- * Especially the longest runtime design and patented.
- * The directly recharge by adapter charger from 110V to 240V voltage AC designed.
- * Rubber cover for recharge hole designed.
- * Roll blocked.
- * Rugged aerospace-grade aluminum body, Type III hardest anodized in black.
- * O-ring sealed, weatherproof.
- * Toughened ultra clear glass lens.
- * The side switch: press for constant-on.
- * Li-ion battery discharge protected.
- * Charge and recharge protected Li-ion battery.
- * Capable of standing up securely on a flat surface to serve as a candle.
- * Accessories included: Charger, 2 x 18650 Batteries with protection board inside, Buckle strap and Lanyard.

SPECIFICATIONS

1 * CREE Q5 LED

Max Output: 100-120Lumens

Runtime: 8hours

Battery: dual 18650 li-ion with protection board kits(rechargeable)

Recharge time: 8 hours

Distance: 500 M

Length: 261.5mm

Head diameter: 60.5mm,Body diameter: 30mm,Weight: 506 g (with batteries)

Full Set:with Buckle strap + AC adapter charger AC009 + 2*Li-ion 18650 battery included , Color gift box packing with Instruction Manual and Warranty Card

LED Head Light



Item:MD-HEADLIGHT-08

FEATURES

- * Disregard weight head light .
- * Can be take out back-side battery box from the band , then use the extension cable EC80 to put the battery box in your bag .
- * 3.5DC plug cable can be connect other power supply such as BP28 or BP4836 battery pack for long time runtime !
- * Rugged aerospace-grade aluminum head, Typed III hardest anodized in black.
- * Toughened ultra clear glass lens.
- * Best focus reflector for a flawless beam.
- * especially switch box in side.
- * Best focus reflector for a flawless beam.
- * Multifunctional brightness operation:--Max brightness mode-- Adjustable brightness mode-- Four blinking modes -- Low voltage warning mode

SPECIFICATIONS

LED: 1*CREE-Q5

Max Output: 220 Lumens

Runtime: 2.5 hours / 5 hours / 10hours

Battery: 1* 18650 or 1*BP28 or 1*BP4836

Recharge time : 5hours/8hours/16hours

Distance: 180 M

Head diameter: 32mm

Weight: 110g(excluding battery)

Full Set:with 1pc AC009 3.5DC plug AC charger,1pc 18650 rechargeable lithium battery,Color gift box packing with Instruction Man



Item:MD-HEADLIGHT-08AA

FEATURES

- * Disregard weight head light .
- * Can be take out back-side battery box from the band , then use the extension cable EC80 to put the battery box in your bag .
- * 3.5DC plug cable can be connect other power supply such as BP28 or BP4836 battery pack for long time runtime !
- * Rugged aerospace-grade aluminum head, Typed III hardest anodized in black.
- * Toughened ultra clear glass lens.
- * Best focus reflector for a flawless beam.
- * especially switch box in side.
- * Best focus reflector for a flawless beam.
- * Multifunctional brightness operation:--Max brightness mode-- Adjustable brightness mode -- Four blinking modes-- Low voltage warning mode

SPECIFICATIONS

LED: 1*CREE-Q5
Max Output: 220 Lumens
Runtime: 1 hour
Battery: 3* AA battery
Distance: 180 M
Head diameter: 32mm
Weight: 130g(excluding battery)

Full Set:Color gift box packing with Instruction Manual and Warranty Card

Accessories

Picture	Item Number	Specification	Unit Price
	AC009	<p>3.5DC plug AC Charger ! Can be recharge for HL08 ,700/701 and C24 !</p> <p>charging model is constant current turn to constant voltage, with over-load/short-circuit/polarity reverse protection.</p> <p>Easy to use: Each separate battery has three-colors LED light indicator: RED-charging, GREEN- full and no battery, GREEN-set battery with wrong polarity. To make sure the safety and reliability of batteries and charge.</p>	US\$6.0
	C24	<p>* This battery holder is used for recharge one piece of 18650/14500/16340 cylindrical Lithium battery.</p> <p>* Input can be allocated 110-240V/1A power adapter for indoor use, also can connect the car charger for 12V-24V in car use,</p> <p>* This battery holder with recharge protection circuit, gold planting "-" spring and "+" connector.</p>	
	18650	<p>This battery is a rechargeable lithium battery with 2200mah electronic capacity. With the help of the built-in circuit protection, you can use the flashlight freely without worrying the damage of over recharge/discharge!</p>	
	16340	<p>This battery is a rechargeable lithium battery with 600mah electronic capacity. With the help of the built-in circuit protection, you can use the flashlight freely without worrying the damage of over recharge/discharge!</p>	
	V15	<p>High quality Nylon pouch , suitable hold flashlight models such as 408N, F7...</p> <p>This is not included with the flashlight,need to buy it separately</p>	
	WD26	<p>* Wire cable switch tailcap.</p> <p>* Press for constant-on or momentary-on.</p> <p>* Spring Wire cable switch can be mounted on the models such as 408N, F7,F6,M8,M9,</p> <p>This is not included with the flashlight,need to buy it separately</p>	