















LED Filament Miniature Bulbs









No.	Picture	Item	Base	Size (mm)	Volt(V)	LED Q'ty	Watt (W)	Lumens (LM)	Color	Packing	Remarks
										pcs/ctn	
1		C7-W2	E14	D23 H60	110/220	2x Filament	1.2	90~110	CW	1,000	Available in E12 base. Dimmable
		C7-WW2						90~110	WW		
2		C9-W1	E17	D29 H73	110/220	1x Filament	0.8	30~40	CW	1,000	Dimmable
		C9-WW1						30~40	WW		
3		S8-W2	E14	D26 H59	110/220	2x Filament	1.2	90~110	CW	1,000	Dimmable
		S8-WW2						90~110	WW		
4		T20-W2	BA15D	D20 H50	110/220	2x Filament	1.2	90~110	CW	1,000	Dimmable
		T20-WW2						90~110	WW		
5		T20-W2	E17	D20 H50	110/220	2x Filament	1.2	90~110	CW	1,000	Dimmable
		T20-WW2						90~110	WW		
6		T22-W2	E12	D22 H60	110/220	2x Filament	1.2	90~110	CW	1,000	Dimmable
		T22-WW2						90~110	WW		
7		T22-W2	E14	D22 H60	110/220	2x Filament	1.2	90~110	CW	1,000	Dimmable
		T22-WW2						90~110	WW		






8		T24-W2	E14	D24 H54	110/220	2x Filament	1.2	90~110	CW	1,000	Dimmable
		T24-WW2						90~110	WW		
9		T25-W2	E14	D25 H70	110/220	2x Filament	1.2	90~110	CW	1,000	Dimmable
		T25-WW2						90~110	WW		
10		T25-W2	E14	D25 H85	110/220	2x Filament	1.2	90~110	CW	1,000	Dimmable
		T25-WW2						90~110	WW		

LED S-Shape Bulbs



No.	Picture	Item	Base	Size (mm)	Volt(V)	LED Q'ty	Watt (W)	Lumens (LM)	Color	Packing	Remarks
										pcs/ctn	
1		S6-W4	E14	D19 H48	110/220	4 LED	0.5	15~20	CW	1,000	Available in E12 base. (Best for fridge bulb)
		S6-WW4						15~20	WW		
2		S8-W3	E14	D26 H59	110/220	3 LED	0.5	10~15	CW	1,000	(Best for fridge bulb)
		S8-WW3						10~15	WW		
3		S8-W6	E14	D26 H59	110/220	6 LED	0.5	25~30	CW	1,000	(Best for fridge bulb)
		S8-WW6						25~30	WW		
4		S8-W9	E14	D26 H59	110/220	9 LED	0.5	40~50	CW	1,000	(Best for fridge bulb)
		S8-WW9						40~50	WW		

5			E14	D26 H59	110/220	9 LED	0.5	40~50	CW	1,000	(Best for fridge bulb) Available in E12 and E17 base.
		S8-WW9						40~50	WW		
6			E14	D26 H59	110/220	9 LED	0.5	40~50	CW	1,000	(Best for fridge bulb) Available in E12 and E17 base.
		S8-W9						40~50	WW		
7			E14	D26 H59	110/220	14 LED	0.7	60~70	CW	1,000	(Best for fridge bulb)
		S8-W14						60~70	WW		
8			E14	D26 H59	110/220	15 LED	0.7	70~80	CW	1,000	(Best for fridge bulb)
		S8-W15						70~80	WW		
9			E14	D26 H59	110/220	15 SMD 3528	0.8	60~70	CW	1,000	(Best for fridge bulb)
		S8-W15						60~70	WW		
10			E14	D26 H59	110/220	27 SMD 3528	1.1	120~130	CW	1,000	(Best for fridge bulb)
		S8-W27						120~130	WW		
11			BA15D	D26 H59	110/220	7 SMD 3528	0.5	30~40	CW	1,000	Opaque cover. (Best for fridge bulb)
		S8-W7						30~40	WW		
12			E14	D26 H59	110/220	7 SMD 3528	0.5	30~40	CW	1,000	Opaque cover. (Best for fridge bulb)
		S8-W7						30~40	WW		

13		S14-W6	E26	D45 H80	110/220	6 LED	0.5	20~30	CW	200	Available in E12/E14/E27 /B22 base.
		S14-WW6						20~30	WW		
14		S14-W4	E26	D45 H80	110/220	4 SMD 5050	0.5	40~50	CW	200	Available in E12/E14/E27 /B22 base.
		S14-WW4						40~50	WW		
15		S14-W13	E26	D45 H80	110/220	13 LED	0.7	50~60	CW	200	Available in E12/E14/E27 /B22 base. NEW Antique style bulbs
		S14-WW13						50~60	WW		
16		S14-W15	E26	D45 H80	110/220	15 LED	0.7	70~80	CW	200	Available in E12/E14/E27 /B22 base. NEW Antique style bulbs
		S14-WW15						70~80	WW		
17		S14-W16	E26	D45 H80	110/220	16 LED	0.7	80~90	CW	200	Available in E12/E14/E27 /B22 base.
		S14-WW16						80~90	WW		
18		S14-R16	E26	D45 H80	110/220	16 LED	0.7	6	Red	200	Colored glass cover, Available in E12/E14/E27 /B22 base.
		S14-Y16						13	Yellow		
		S14-B16						5	Blue		
		S14-G16						20	Green		
		S14-A16						5	Amber		
19		S14-W25	E26	D45 H80	110/220	25 LED	1.3	120~130	CW	200	Available in E12/E14/E27 /B22 base. NEW Antique style bulbs
		S14-WW25						120~130	WW		
20		S14-W30	E26	D45 H80	110/220	30 LED	1.5	130~150	CW	200	Available in E12/E14/E27 /B22 base.
		S14-WW30						130~150	WW		

21		S14-R30	E26	D45 H80	110/220	30 LED	1.5	15	Red	200	Colored glass cover, Available in E12/E14/E27 /B22 base.
		S14-Y30						30	Yellow		
		S14-B30						15	Blue		
		S14-G30						45	Green		
		S14-A30						15	Amber		
22		S14-R8	E26	D45 H80	110/220	8 LED	0.5	3	Red	200	Plastic faceted cover, Available in E27/B22 base.
		S14-Y8						5	Yellow		
		S14-B8						4	Blue		
		S14-G8						15	Green		
		S14-A8						3	Amber		
		S14-W8						32	CW		
		S14-WW8						32	WW		
23		S14-R4	E26	D45 H80	110/220	4 SMD 5050	0.5	5	Red	200	Opaque glass cover, Available in E27/B22 base.
		S14-Y4						8	Yellow		
		S14-B4						5	Blue		
		S14-G4						10	Green		
		S14-A4						5	Amber		
24		ST64-W37	E27	D64 H145	110/220	37 LED	1.1	140~160	CW	100	Available in E26/B22 base. NEW Antique style bulbs
		ST64-WW37						140~160	WW		
25		ST64-W54	E27	D64 H145	110/220	54 LED	2.6	160~180	CW	100	Available in E26/B22 base. NEW Antique style bulbs
		ST64-WW54						160~180	WW		








LED T-Shape Bulbs









No.	Picture	Item	Base	Size (mm)	Volt(V)	LED Q'ty	Watt (W)	Lumens (LM)	Color	Packing	Remarks
										pcs/ctn	
1		T16-W6	E14	D16 H52	110/220	6 LED	0.5	25~30	CW	1,000	(Best for fridge bulb)
		T16-WW6						25~30	WW		
2		T20-W31	E12	D20 H113	110/220	31 LED	1.1	60~70	CW	1,000	(Best for fridge bulb) Available in E17 base. NEW Antique style bulbs
		T20-WW31						60~70	WW		









3		T20-W36	E14	D20 H115	110/220	36 LED	1.5	100~120	CW	1,000	(Best for fridge bulb) NEW Antique style bulbs
		T20-WW36						100~120	WW		
4		T22-W3	E12	D22 H45	110/220	3 LED	0.5	10~15	CW	1,000	Available in E14 base. (Best for fridge bulb)
		T22-WW3						10~15	WW		
5		T22-W7	E12	D22 H45	110/220	7 LED	0.5	30~35	CW	1,000	(Best for fridge bulb)
		T22-WW7						30~35	WW		
6		T22-W4	E14	D22 H49	110/220	4 LED	0.5	15~20	CW	1,000	(Best for fridge bulb)
		T22-WW4						15~20	WW		
7		T22-W15	E14	D22 H49	110/220	15 SMD 3528	0.8	60~70	CW	1,000	(Best for fridge bulb)
		T22-WW15						60~70	WW		
8		T22-W15	BA15D	D22 H42	110/220	15 SMD 3528	0.8	60~70	CW	1,000	(Best for fridge bulb)
		T22-WW15						60~70	WW		
9		T22-W15	E12	D22 H45	110/220	15 SMD 3528	0.8	60~70	CW	1,000	(Best for fridge bulb)
		T22-WW15						60~70	WW		
10		T22-W11	E12	D22 H45	110/220	11 SMD 3528	0.5	40~50	CW	1,000	(Best for fridge bulb)
		T22-WW11						40~50	WW		









11		T25-W9	E14	D25 H55	110/220	9 LED	0.5	40~50	CW	1,000	(Best for fridge bulb)
		T25-WW9						40~50	WW		
12		T25-W15	E14	D25 H55	110/220	15 SMD 3528	0.8	60~70	CW	1,000	(Best for fridge bulb)
		T25-WW15						60~70	WW		
13		T30-W33	E27	D30 H225	110/220	33 LED	1.1	150~160	CW	1,000	(Best for fridge bulb) Length option 125mm 185mm and 300mm.
		T30-WW33						150~160	WW		
14		T40-W30	E27	D42 H128	110/220	30 LED	1.5	130~150	CW	1,000	Available in E26/B22 base.
		T40-WW30						130~150	WW		
15		T41-W44	E27	D41 H91	110/220	44 LED	2	180~220	CW	1,000	Available in E26/B22 base.
		T41-WW44						180~220	WW		
16		T50-W165	E27	D50 H137	110/220	165 LED	5	700~800	CW	100	Available in E26/B22 base.
		T50-WW165						700~800	WW		
17		T60-W104	E27	D60 H143	110/220	104 LED	4	450~500	CW	100	Available in E26/B22 base.
		T60-WW104						450~500	WW		
18		T60-W195	E27	D60 H170	110/220	195 LED	7	800~900	CW	100	Available in E26/B22 base.
		T60-WW195						800~900	WW		



LED C-Shape Bulbs

No.	Picture	Item	Base	Size (mm)	Volt(V)	LED Q'ty	Watt (W)	Lumens (LM)	Color	Packing	Remarks
										pcs/ctn	
1		C6-W1	E10	D13 H45	8-34	1 LED	0.3	4	CW	1,000	Available in clear/frosted cover.
		C6-WW1						4	WW		
2		C7-W1	E12	D23 H62	110/220	1 SMD 5050	0.3	15~18	CW	1,000	Available in E14 base. Painted colored glass adding extra cost.
		C7-WW1						15~18	WW		
3		C7-R5	E12	D23 H62	110/220	5 SMD 3528	0.5	3	Red	1,000	Available in E14 base.
		C7-Y5						5	Yellow		
		C7-B5						2	Blue		
		C7-G5						8	Green		
		C7-A5						2	Amber		
4		C7-W5	E12	D23 H62	110/220	5 LED	0.5	25~30	CW	1,000	Available in E14 base. Painted colored glass adding extra cost.
		C7-WW5						25~30	WW		
5		C7-W6	E12	D23 H62	110/220	6 LED	0.5	30~40	CW	1,000	Available in E14 base.
		C7-WW6						30~40	WW		
6		C7-R6	E12	D23 H62	110/220	6 LED	0.5	3	Red	1,000	Available in E14 base.
		C7-Y6						5	Yellow		
		C7-B6						2	Blue		
		C7-G6						8	Green		
		C7-A6						2	Amber		
7		C7-W7	E12	D23 H62	110/220	7 LED	0.5	30~40	CW	1,000	Available in E14 base.
		C7-WW7						30~40	WW		






8		C7-W15	E12	D23 H62	110/220	15 SMD 3528	0.8	60~70	CW	1,000	Available in E14 base. Painted colored glass adding extra cost
		C7-WW15						60~70	WW		
9		C9-W5	E17	D29 H73	110/220	5 LED	0.5	25~30	CW	1,000	Painted colored glass adding extra cost
		C9-WW5						25~30	WW		
10		C9-W8	E17	D29 H73	110/220	8 LED	0.5	40~50	CW	1,000	Painted colored glass adding extra cost
		C9-WW8						40~50	WW		
11		C9-W9	E17	D29 H73	110/220	9 LED	0.5	40~50	CW	1,000	Painted colored glass adding extra cost
		C9-WW9						40~50	WW		
12		C7-W3	E12	D20 H57	110/220	3 SMD 3020	0.3	10~15	CW	1,000	
		C7-WW3						10~15	WW		
13		C9-W5	E17	D28 H76	110/220	5 SMD 3528	0.5	20~25	CW	1,000	
		C9-WW5						20~25	WW		
14		C26-W12	E14	D26 H77	110/220	12 LED	0.7	60~70	CW	200	
		C26-WW12						60~70	WW		
15		C32-W16	E12	D32 H110	110/220	16 LED	0.7	40~50	CW	200	Available in flame tip cover and E14/E17 /BA15D base.
		C32-WW16						40~50	WW		









16		C35-W15	E14	D35 H124	110/220	15 LED	0.7	80~90	CW	200	Available in normal candle cover. NEW Antique style bulbs
		C35-WW15						80~90	WW		
17		C32-W24	E12	D32 H110	110/220	24 LED	1.4	100~120	CW	200	Available in flame tip cover and E14/E17 /BA15D base. NEW style
		C32-WW24						100~120	WW		
18		C32-W25	E12	D32 H98	110/220	25 LED	1.3	120~130	CW	200	Available in E17 base. NEW Antique style bulbs
		C32-WW25						120~130	WW		
19		C32-W30	E12	D32 H110	110/220	30 LED	1.5	130~150	CW	200	Available in flame tip cover and E14/E17 /BA15D base.
		C32-WW30						130~150	WW		
20		C32-W4	E12	D32 H110	110/220	4 SMD 5050	0.5	40~50	CW	200	Available in flame tip cover and E14/E17 /BA15D base.
		C32-WW4						40~50	WW		
21		C32-W24	E14	D32 H105	110/220	24 SMD 3528	1.2	100~110	CW	200	Available in flame tip cover and E14/E17 /BA15D base.
		C32-WW24						100~110	WW		
22		C35-W4	E12	D35 H122	110/220	4 SMD 5050	0.5	40~50	CW	200	Available in candle shape cover and E14/E17 /BA15D base.
		C35-WW4						40~50	WW		
23		C32-W30	E27	D32 H98	110/220	30 LED	1.5	130~150	CW	200	Available in E26/B22 base.
		C32-WW30						130~150	WW		








24		C35-W28	E27	D35 H105	110/220	28 LED	1.5	120~140	CW	200	Available in E26/B22 base.
		C35-WW28						120~140	WW		
25		C35-W30	E14	D37 H120	110/220	30 LED	1.5	130~150	CW	200	
		C35-WW30						130~150	WW		
26		C40-W40	E14	D40 H136	110/220	40 LED	1.7	160~200	CW	200	
		C40-WW40						160~200	WW		
27		C40-W60	E14	D40 H138	110/220	60 LED	3	250~300	CW	200	
		C40-WW60						250~300	WW		
28		C40-W60	E27	D40 H136	110/220	60 LED	3	250~300	CW	200	Available in E26/B22 base.
		C40-WW60						250~300	WW		
29		C42-W60	E12	D42 H123	110/220	60 LED	3	250~300	CW	200	
		C42-WW60						250~300	WW		
30		C48-W29	E27	D48 H115	110/220	29 LED	1.1	100~110	CW	200	Available in E26/B22 base. NEW Antique style bulbs
		C48-WW29						100~110	WW		
31		C48-W32	E27	D48 H115	110/220	32 LED	1.3	100~110	CW	200	Available in E26/B22 base. NEW Antique style bulbs
		C48-WW32						100~110	WW		

32		C70-W33	E27	D70 H160	110/220	33 LED	1.1	150~160	CW	200	Available in E26/B22 base. NEW Antique style bulbs
		C70-WW33						150~160	WW		
33		C120-W33	E27	D120 H175	110/220	33 LED	1.1	150~160	CW	200	Available in E26/B22 base. NEW Antique style bulbs
		C120-WW33						150~160	WW		









LED G-Shape Bulbs




No.	Picture	Item	Base	Size (mm)	Volt(V)	LED Q'ty	Watt (W)	Lumens (LM)	Color	Packing	Remarks
										pcs/ctn	
1		G30-W3	E12	D30 H45.2	110/220	3 LED	<0.5	13~15	CW	500	Available in E26/B22 E12/E14/E17 BA15D base. (Available colored glass cover)
		G30-WW3						13~15	WW		
2		G35-W6	E17	D35 H59	110/220	6 LED	0.5	30~40	CW	200	Available in E26/B22 E12/E14/E17 BA15D base. (Available colored glass cover)
		G35-WW6						30~40	WW		
3		G35-W9	E27	D35 H55	110/220	9 LED	0.7	40~50	CW	200	Available in E26/B22 E12/E14/E27 BA15D base. (Available colored glass cover)
		G35-WW9						40~50	WW		
4		G35-W9	E17	D35 H67	110/220	9 LED	0.7	40~50	CW	200	Available in E26/B22 E12/E14/E27 BA15D base. (Available colored glass cover)
		G35-WW9						40~50	WW		
5		G35-W18	E27	D35 H55	110/220	18 LED	0.8	70~90	CW	200	Available in E26/B22 E12/E14/E17 BA15D base. (Available colored glass cover)
		G35-WW18						70~90	WW		

6		G40-W5	E17	D40 H58	110/220	5 LED	0.5	20~30	CW	200	Available in E26/B22 E12/E14/E17 BA15D base. (Available colored glass cover)
		G40-WW5						20~30	WW		
7		G40-W6	E17	D40 H58	110/220	6 LED	0.5	30~40	CW	200	Available in E26/B22 E12/E14/E17 BA15D base. (Available colored glass cover)
		G40-WW6						30~40	WW		
8		G40-W15	E27	D40 H62	110/220	15 LED	0.8	70~90	CW	200	Available in E26/B22 E12/E14/E17 BA15D base. (Available colored glass cover)
		G40-WW15						70~90	WW		
9		G40-W18	E27	D40 H62	110/220	18 LED	0.8	70~90	CW	200	Available in E26/B22 E12/E14/E17 BA15D base. (Available colored glass cover)
		G40-WW18						70~90	WW		
10		G40-W4	E27	D40 H62	110/220	4 SMD 5050	0.5	40~50	CW	200	Available in E26/B22 E12/E14/E17 BA15D base. (Frosted glass cover)
		G40-WW4						40~50	WW		
11		G40-W6	E17	D40 H65	110/220	6 LED	0.5	20~30	CW	200	Plastic faceted cover
		G40-WW6						20~30	WW		
12		G45-W6	E27	D45 H69	110/220	6 LED	0.5	20~30	CW	150	Available in E26/B22 base. NEW style
		G45-WW6						20~30	WW		
13		G45-R4	B22	D45 H68	110/220	4 SMD 5050	0.5	5	Red	200	Opaque PC cover, Available in E26/E27 base.
		G45-Y4						8	Yellow		
		G45-B4						5	Blue		
		G45-G4						10	Green		
		G45-A4						5	Amber		
		G45-W4						40~50	CW		
		G45-WW4						40~50	WW		





14		G45-W16	E12	D45 H82	110/220	16 LED	0.7	40~50	CW	200	Available in E14 base.
		G45-WW16						40~50	WW		
15		G45-W4	E27	D45 H72	110/220	4 SMD 5050	0.5	40~50	CW	200	Frosted glass cover.
		G45-WW4						40~50	WW		
16		G45-W8	E14	D45 H73	110/220	8 LED	0.5	50~60	CW	200	
		G45-WW8						50~60	WW		
17		G45-W13	E27	D45 H69	110/220	13 LED	0.7	35~45	CW	150	Available in E26/B22 base. NEW Antique style bulbs
		G45-WW13						35~45	WW		
18		G45-W17	E14	D45 H73.5	110/220	17 LED	0.7	80~90	CW	150	Available in E26/B22 base. NEW Antique style bulbs
		G45-WW17						80~90	WW		
19		G45-W25	E27	D45 H69	110/220	25 LED	1.1	80~90	CW	150	Available in E26/B22 base. NEW Antique style bulbs
		G45-WW25						80~90	WW		
20		G50-W13	E27	D50 H73	110/220	13 LED	0.7	35~45	CW	200	Available in E26/B22 base. NEW Antique style bulbs
		G50-WW13						35~45	WW		
21		G50-W15	E27	D50 H73	110/220	15 LED	0.7	70~80	CW	200	Available in E26/B22 base. NEW Antique style bulbs
		G50-WW15						70~80	WW		





22		G50-W25	E27	D50 H73	110/220	25 LED	1.3	120~130	CW	200	Available in E26/B22 base. NEW Antique style bulbs
		G50-WW25						120~130	WW		
23		G50-W3	E27	D50 H73	110/220	3 SMD 3528	0.5	10~15	CW	200	Available in E26/B22 base.
		G50-WW3						10~15	WW		
24		G50-W29	E27	D50 H73	110/220	29 SMD 3528	1.7	120~130	CW	200	Available in E26/B22 base.
		G50-WW29						120~130	WW		
25		G50-R16	E27	D50 H73	110/220	16 LED	0.7	6	Red	150	Painted glass cover, Available in E26/B22 base.
		G50-Y16						13	Yellow		
		G50-B16						5	Blue		
		G50-G16						20	Green		
		G50-A16						5	Amber		
		G50-W16						40~50	CW		
		G50-WW16						40~50	WW		
26		G50-W8	E17	D50 H76	110/220	8 LED	0.5	30~40	CW	200	Plastic faceted cover
		G50-WW8						30~40	WW		
27		G50-W8	E17	D50 H59.5	110/220	8 LED	0.5	50~60	CW	200	
		G50-WW8						50~60	WW		
28		G60-W30	E14	D60 H115	110/220	30 LED	1.5	130~150	CW	200	Available in E12 base.
		G60-WW30						130~150	WW		
29		G60-W40	E27	D60 H112	110/220	40 LED	1.7	160~200	CW	200	Available in E26/B22 base.
		G60-WW40						160~200	WW		

30		G80-W84	E27	D80 H132	110/220	84 LED	4	350~400	CW	20	Available in E26/B22 base.
		G80-WW84						350~400	WW		
31		G80-W36	E27	D80 H132	110/220	36 LED	2	110~130	CW	20	Available in E26/B22 base. NEW Antique style bulbs
		G80-WW36						110~130	WW		
32		G80-W33	E27	D80 H118	110/220	33 LED	1.1	140~160	CW	20	Available in E26/B22 base. NEW Antique style bulbs
		G80-WW33						140~160	WW		
33		G95-W33	E27	D95 H127	110/220	33 LED	1.1	140~160	CW	20	Available in E26/B22 base. NEW Antique style bulbs
		G95-WW33						140~160	WW		
34		G95-W44	E27	D95 H127	110/220	44 LED	2.4	140~160	CW	20	Available in E26/B22 base. NEW Antique style bulbs
		G95-WW44						140~160	WW		
35		G95-W59	E27	D95 H127	110/220	59 SMD 3528	3.2	225~245	CW	20	Available in E26/B22 base.
		G95-WW59						225~245	WW		
36		G100-W128	E27	D100 H153	110/220	128 LED	5	500~600	CW	20	Available in E26/B22 base.
		G100-WW128						500~600	WW		
37		G100-W48	E27	D100 H153	110/220	48 LED	2.6	170~190	CW	20	Available in E26/B22 base. NEW Antique style bulbs
		G100-WW48						170~190	WW		




38		G125-W37	E27	D125 H168	110/220	37 LED	1.1	150~170	CW	20	Available in E26/B22 base. NEW Antique style bulbs
		G125-WW37						150~170	WW		
39		G125-W48	E27	D125 H168	110/220	48 LED	2.6	170~190	CW	20	Available in E26/B22 base. NEW Antique style bulbs
		G125-WW48						170~190	WW		
40		G125-W6	E27	D125 H185	110/220	6 HP LED	3	220~240	CW	20	Available in E26/B22 base. NEW style Dimmable
		G125-WW6						220~240	WW		



LED A-Shape Bulbs

No.	Picture	Item	Base	Size (mm)	Volt(V)	LED Q'ty	Watt (W)	Lumens (LM)	Color	Packing	Remarks
										pcs/ctn	
1		A15-W30	E27	D55 H93	110/220	30 LED	1.5	130~150	CW	200	Available in E26/B22 base.
		A15-WW30						130~150	WW		
2		A15-W30	E27	D55 H93	110/220	30 LED	1.5	130~150	CW	200	Chrome top, Available in E26/B22 base.
		A15-WW30						130~150	WW		
3		A19-W60	E27	D60 H127	110/220	60 LED	3	250~300	CW	200	Available in E26/B22 base.
		A19-WW60						250~300	WW		
4		A19-W30	E27	D60 H106	110/220	30 SMD 3528	1.5	130~150	CW	200	Available in E26/B22 base.
		A19-WW30						130~150	WW		






5		A19-W34	E27	D60 H106	110/220	34 SMD 3528	2	140~160	CW	200	Available in E26/B22 base. (Frosted glass cover)
		A19-WW34						140~160	WW		
6		A19-W29	E27	D60 H106	110/220	29 LED	1.1	100~110	CW	200	Available in E26/B22 base. NEW Antique style bulbs
		A19-WW29						100~110	WW		
7		A19-W32	E27	D60 H106	110/220	32 LED	1.3	100~110	CW	200	Available in E26/B22 base. NEW Antique style bulbs
		A19-WW32						100~110	WW		
8		A19-W32	E27	D60 H127	110/220	32 LED	1.3	100~110	CW	200	Available in E26/B22 base. NEW Antique style bulbs
		A19-WW32						100~110	WW		


LED R-Shape Bulbs

No.	Picture	Item	Base	Size (mm)	Volt(V)	LED Q'ty	Watt (W)	Lumens (LM)	Color	Packing	Remarks
										pcs/ctn	
1		R65-W29	E27	D65 H106	110/220	29 LED	1.1	110~120	CW	200	Available in E26/B22 base. NEW Antique style bulbs
		R65-WW29						110~120	WW		
2		R95-W33	E27	D95 H135	110/220	33 LED	1.1	150~160	CW	200	Available in E26/B22 base. NEW Antique style bulbs
		R95-WW33						150~160	WW		
3		R120-W33	E27	D120 H135	110/220	33 LED	1.1	150~160	CW	200	Available in E26/B22 base. NEW Antique style bulbs
		R120-WW33						150~160	WW		




4		R120-W33	E27	D120 H135	110/220	33 LED	1.1	150~160	CW	200	Available in E26/B22 base. NEW Antique style bulbs Colorful glass
		R120-WW33						150~160	WW		
5		FS150-W33	E27	D150 H193	110/220	33 LED	1.1	150~160	CW	200	Available in E26/B22 base. NEW Antique style bulbs
		FS150-WW33						150~160	WW		

LED Amusement rides Bulbs



No.	Picture	Item	Base	Size (mm)	Volt(V)	LED Q'ty	Watt (W)	Lumens (LM)	Color	Packing	Remarks
										pcs/ctn	
1		E10-W12	E10	D20 H34	24 60 110 220	12 LED	0.5	30~35	CW	1,000	6LED light up, 6LED sidelight.
		E10-WW12						30~35	WW		
2		E14-W12	E14	D25 H46	24 60 110 220	12 LED	0.5	30~35	CW	1,000	6LED light up, 6LED sidelight.
		E14-WW12						30~35	WW		
3		E14-W16	E14	D25 H46	24 60 110 220	16 LED	0.7	45~50	CW	1,000	7LED light up, 6LED sidelight, 3LED backlight.
		E14-WW16						45~50	WW		
4		E10-W12	E10	D26 H31	24 60 110 220	12 SMD 3528	0.9	55~65	CW	1,000	8SMD light up, 4SMD light bottom.
		E10-WW12						55~65	WW		
5		E14-W12	E14	D34 H47	24 60 110 220	12 SMD 3528	0.9	55~65	CW	1,000	8SMD light up, 4SMD light bottom.
		E14-WW12						55~65	WW		

6		E14-W16	E14	D34 H47	24 60 110 220	16 SMD 3528	1.1	75~85	CW	1,000	12SMD light up, 4SMD light bottom.
		E14-WW16						75~85	WW		




LED Flashlight Bulbs

No.	Picture	Item	Base	Size (mm)	Volt(V)	LED Q'ty	Watt (W)	Lumens (LM)	Color	Packing	Remarks
										pcs/ctn	
1		P13.5S-W1-0.2W	P13.5S	D11.5 H30	3 4.5 6 18	1	0.2	5	CW	1,000	
		P13.5S-WW1-0.2W							WW		
2		P13.5S-W1-0.5W	P13.5S	D11.5 H30	3 4.5 6 18	1	0.5	30	CW	1,000	
		P13.5S-WW1-0.5W							WW		
3		P13.5S-W1	P13.5S	D11.5 H30	3 4.5 6	1	1	80	CW	1,000	
		P13.5S-WW1							WW		

LED Elevator Bulbs

No.	Picture	Item	Base	Size (mm)	Volt(V)	LED Q'ty	Watt (W)	Lumens (LM)	Color	Packing	Remarks
										pcs/ctn	
1		T32-W19	BA15S	D32 H47	9~16	19	1.5	100~120	CW	1,000	
		T32-WW19							WW	1,000	
2		T27-W4	BA15D	D27 H38.5	24	0.9	55~65	CW	1,000		
		T27-WW4						WW	1,000		

Festoon/Party light strip and lampholders

No.	Picture	Item	Base	Size (mm)	Volt(V)	Holder QTY	Cooper (mm2)	Interval (cm)	Color	Packing	Remarks
										pcs/ctn	
1	 A black festoon light strip with 10m length, featuring G50 bulbs in red, yellow, and blue. A CE RoHS logo is visible in the bottom right corner of the image.	Light Strip 10M G50	Plug	H5 W13	240	40	1.5	25	Black	100	Waterproof Price exclude for LED bulbs.
2	 A black festoon light strip with 10m length, featuring S14 bulbs in red, yellow, and blue. A CE RoHS logo is visible in the bottom right corner of the image.	Light Strip 10M S14	Plug	H5 W13	240	20	1.5	50	Black	100	Waterproof Price exclude for LED bulbs.
3	 A black festoon light strip with 10m length, featuring S14 bulbs in red, yellow, and blue. A CE RoHS logo is visible in the bottom right corner of the image.	Light Strip 10M S14	Plug	H5 W13	240	90	1.5	11	Black	100	Waterproof Price exclude for LED bulbs.