


Module LED street light series   

Professional LED Lighting Manufacturer




Intelligence Street Lighting System
We provide Zigbee system or DALI System




Features

- Modular design, the light efficiency reaches 120lm/w.
- Power box free to open, easy installation and maintenance.
- Elegant appearance
- The light source use 140lm/w Samsung led chips, the whole lamp luminous efficiency can achieve 120lm/w.
- The installation angle can be adjustable from -15 to +15.

Dimensions



Light distribution curve



Product parameters




Item	Power	luminous flux (5000k)	Color temperature	Dimension (L*W*H)
MD-STRM-60W	60W	7200LM	2700-6500K	519*307*139mm
MD-STRM-90W	90W	10800LM	2700-6500K	594*307*139mm
MD-STRM-120W	120W	14400LM	2700-6500K	669*307*139mm
MD-STRM-150W	150W	18000LM	2700-6500K	744*307*139mm
MD-STRM-180W	180W	21600LM	2700-6500K	819*307*139mm
MD-STRM-210W	210W	25200LM	2700-6500K	856*307*139mm
MD-STRM-240W	240W	28800LM	2700-6500K	894*307*139 mm
MD-STRM-270W	270W	32400LM	2700-6500K	1044*307*139mm
MD-STRM-300W	300W	36000LM	2700-6500K	1119*307*139mm

Introduction

High luminous efficiency Module LED street light series


Professional LED Lighting Manufacturer




Features

- Modular design, the light efficiency reaches 100lm/w.
- Power box free to open, easy installation and maintenance.
- Elegant appearance
- The light source use 140lm/w Samsung led chips, the whole lamp luminous efficiency can achieve 130lm/w.

Dimensions



Light distribution curve



Product parameters




Item	Power	luminous flux (5000k)	Color temperature	Dimension (L*W*H)
MD-STRE-60W	60W	7200LM	2700-6500K	410*298*79mm
MD-STRE-90W	90W	10800LM	2700-6500K	481*298*79mm
MD-STRE-120W	120W	14400LM	2700-6500K	552*298*79mm
MD-STRE-150W	150W	18000LM	2700-6500K	623*298*79mm
MD-STRE-180W	180W	21600LM	2700-6500K	694*298*79mm
MD-STRE-210W	210W	25200LM	2700-6500K	765*298*79mm
MD-STRE-240W	240W	28800LM	2700-6500K	836*298*79mm
MD-STRE-270W	270W	32400LM	2700-6500K	907*298*79mm
MD-STRE-300W	300W	36000LM	2700-6500K	978*298*79mm

Module LED tunnel light series



Professional LED Lighting Manufacturer



Product parameters



Item	Power	luminous flux (5000k)	Color temperature	Dimension (L*W*H)
MD-TUNM-30W	30W	3300LM	2700-6500K	218*310*168mm
MD-TUNM-60W	60W	6600LM	2700-6500K	293*310*168mm
MD-TUNM-90W	90W	9900LM	2700-6500K	368*310*168mm
MD-TUNM-120W	120W	13200LM	2700-6500K	443*310*168mm
MD-TUNM-150W	150W	16500LM	2700-6500K	518*310*168mm
MD-TUNM-180W	180W	19800LM	2700-6500K	593*310*168mm
MD-TUNM-210W	210W	23100LM	2700-6500K	668*310*168mm
MD-TUNM-240W	240W	26400LM	2700-6500K	743*310*168mm

Economic module LED tunnel light series



Professional LED Lighting Manufacturer



Product parameters



Item	Power	luminous flux (5000k)	Color temperature	Dimension (L*W*H)
MD-TUNE-30W	30W	3300LM	2700-6500k	161*281*127mm
MD-TUNE-60W	60W	6600LM	2700-6500k	241*281*127mm
MD-TUNE-90W	90W	9900LM	2700-6500k	322*281*127mm
MD-TUNE-120W	120W	13200LM	2700-6500k	402*281*127mm
MD-TUNE-150W	150W	16500LM	2700-6500k	483*281*127mm
MD-TUNE-200W	200W	22000LM	2700-6500k	402*281*127mm
MD-TUNE-240W	240W	26400LM	2700-6500k	483*281*127mm