



A.....LED Strobe String Light:



1) MD-Strobe-PC/25CM-230V **Single pc with male and female connector**

Xenon strobe light, $\Phi 40 \times 91 \text{MM}$; 4U-1022 light source, 10 million stroboscopic life; maximum power 2W, AC/DC230V use; 60 times/minute strobe; 25CM long male and female joint input (out) line; CE standard; inner white box + outer box packaging: 72 × 37 × 28CM / CTN / 100PCS / 15.6KG.

2) MD-Strobe-PC/25CM-230V **Single pc with male and female connector**

LED strobe light string, $\Phi 40 \times 91 \text{MM}$; 24LED, 30,000 hours service life; color division W/WW/B/G/R/PP, etc.; maximum power 4W, AC/DC230V use; 60 times/minute stroboscopic; 25CM long Male and female connector input (out) line; CE standard; inner white box + outer box packaging: 72 × 37 × 28CM / CTN / 100PCS / 15.6KG.

3) MD-Strobe-6pcs/3M-230V **6pcs per 3M**

Xenon strobe light string, 4U-1022 light source, 10 million stroboscopic life; maximum power 6 × 2W, AC / DC230V use; 60 times / minute strobe; 6 lights / 3M long; European standard IP44 Plug power cord; CE standard; inner white box + outer box packaging: 63. × 28 × 29CM / CTN / 20sets of / 17.0KG.

4) MD-Strobe-6pcs/3M-230V **6pcs per 3M**

LED strobe light string; 6 × 24 LED2835, 30,000 hours of service life; color points W / WW / B / G / R / PP; maximum power 6 × 4W, AC / DC230V use; 60 times / minute strobe; Light / 3M long; European standard IP44 plug power cord; CE standard; inner white box + outer box packaging: 63. × 28 × 29CM / CTN / 20sets of / 17.0KG.




5) MD-Strobe-10pcs/10M-230V **10pcs per 10M**

Xenon strobe light string; 4U-1022 light source, 10 million stroboscopic life; maximum power 10 × 2W, AC/DC230V use; 60 times/minute stroboscopic; 10 lights/10M long; European standard IP44 plug power cord; CE standard; +Outer box packaging: 52.5 × 32 × 35.5CM / CTN / 10sets of / 16.5KG.

6) MD-Strobe-10pcs/10M-230V **10pcs per 10M**

LED strobe light string; 10 × 24 LED2835, 30,000 hours service life; color points W/WW/B/G/R/PP, etc.; maximum power 10 × 4W, AC/DC230V use; 60 times/minute stroboscopic; 10 lights/10M long; IP44 plug power cord; CE standard; inner white box + outer box packaging: 52.5 × 32 × 35.5CM / CTN / 10sets of / 16.5KG.

B.....LED Strobe Module



1) MD-Strobe-pc/25CM-230V

3pcs 5050SMD, 30,000 hours service life; color points W/WW/B/G/R/PP, etc.; maximum power 0.9W, AC/DC230V use; 60 times/minute strobe; 25CM long male and female connector input (out Line; CE standard; inner white box + outer box packaging: 29 × 28 × 32.5CM / CTN / 100PCS / 7.6KG.

2) MD-Strobe-6pcs/3M-230V

6pcs per 3M, 30,000 hours service life; color points W/WW/B/G/R/PP, etc.; maximum power 6×0.9W, AC/DC230V use; 60 times/minute strobe; 6 lights/3M Long; European standard IP44 plug power cord; CE standard; inner white box + outer box packaging: 29 × 28 × 32.5CM / CTN / 20sets of / 9.5KG.




3) MD-Strobe-10pcs/5M-230V

10pcs per 5M, 30,000 hours service life; color points W/WW/B/G/R/PP, etc.; maximum power 10×0.9W, AC/DC230V use; 60 times/minute strobe; 10 lights/5M Long; European standard IP44 plug power cord; CE standard; inner white box + outer box packaging: 29 × 28 × 32.5CM / CTN / 10sets of / 6.9KG.

4) MD-Strobe-12pcs/LED/6M-230V

12pcs per 6M, 30,000 hours service life; color points W/WW/B/G/R/PP, etc.; maximum power 12×0.9W, AC/DC230V use; 60 times/minute strobe; 12 lights/6M Long; European standard IP44 plug power cord; CE standard; inner white box + outer box packaging: 29 × 28 × 32.5CM / CTN / 10sets of / 7.5KG.

B.....LED Strobe Bulb $\Phi 33(53) \times 100\text{MM}$ E27 E14 B22



1) MD-Strobe- $\Phi 33(53)$ -4W-230V

Xenon Strobe Bulb, $\Phi 33(53) \times 100\text{MM}$; 4U-1022 light source, 10 million stroboscopic life; maximum power 4 ~ 6W, AC / DC230V use; 60 times / minute strobe; E27 / B22 / E14 lamp head ;CE standard; inner white box + outer box packaging: 60.5. \times 31.5 \times 23.5CM / CTN / 100PCS / 9.2KG.

2) MD-Strobe- $\Phi 33(53)$ -8LED-230V

LED Strobe Bulb, $\Phi 33(53) \times 100\text{MM}$; SMD2835 / 8LED, 30,000 hours of service life; color points W / WW / B / G / R / PP; maximum power 1.9W, AC / DC230V use; 60 times / Minute strobe; E27/B22/E14 lamp holder; CE standard; inner white box + outer box packaging: 60.5. \times 31.5 \times 23.5CM / CTN / 100PCS / 9.2KG.