

MELODY INT'L GROUP LTD

LED Yachts Boat Underwater Swimming Pool Lighting



LED ship underwater lamp



Application

≥ Applicable to all types of yachts, aquatic biological exploration, swimming pool lighting and yacht interior lighting and so on.

Features

- ≥ Using latest US CREE LED chip
- ≥ High-quality stainless steel housing body, anti-corrosion, nice look
- ≥ Good sealing, waterproof IP68, anti-dust, anti-collision, anti-splashing
- ≥ Shake proof, energy saving, environmental protection
- ≥ High luminous efficiency, long lifespan.

**MD-YADP-1X9W**

LED芯片品牌(LED brand & type) : 台湾 (taiwan)
 功率 (Power) : 9W
 工作电压 (Working Voltage) : DC10-30V
 光通量(Luminous Flux) : 700-800lm
 发光角度 (Viewing Angle) : 120°
 防水等级(Waterproof Level): IP68
 外壳材料(Material of Housing): 铬青铜(chromed bronze)

MD-YAF02-12X3W

LED芯片品牌(LED brand & type) : Cree
 功率 (Power) : 36W
 工作电压 (Working Voltage) : DC10-30V
 光通量(Luminous Flux) : 1400-1500lm
 发光角度 (Viewing Angle) : 30°
 防水等级(Waterproof Level): IP68
 外壳材料(Material of Housing):
 高级316不锈钢(high grade stainless steel 316)

**MD-YAF01-6X3W**

LED芯片品牌(LED brand & type) : Cree
 功率 (Power) : 18W
 工作电压 (Working Voltage) : DC10-30V
 光通量(Luminous Flux) : 750-850lm
 发光角度 (Viewing Angle) : 30°
 防水等级(Waterproof Level): IP68
 外壳材料(Material of Housing):
 高级316不锈钢(high grade stainless steel 316)

**MD-YALB-2X9W**

LED芯片品牌(LED brand & type) : 台湾 (taiwan)
 功率 (Power) : 18W
 工作电压 (Working Voltage) : DC10-30V
 光通量(Luminous Flux) : 650-750lm
 发光角度 (Viewing Angle) : 130°
 防水等级(Waterproof Level): IP68
 外壳材料(Material of Housing):
 不锈钢和铜(bronze body + stainless steel 316 bracket)


**MD-YALB-1X9W**

LED芯片品牌(LED brand & type) : 台湾 (taiwan)
 功率 (Power) : 9W
 工作电压 (Working Voltage) : DC10-30V
 光通量(Luminous Flux) : 325-375lm
 发光角度 (Viewing Angle) : 130°
 防水等级(Waterproof Level): IP68
 外壳材料(Material of Housing):
 不锈钢和铜(bronze body + stainless steel 316 bracket)



**MD-BTLDS-9X3W**

LED芯片品牌(LED brand & type) : Cree
 功率 (Power) :27W
 工作电压 (Working Voltage) : DC10-30V
 光通量(Luminous Flux) : 1800lm
 发光角度 (Viewing Angle) : 180°
 防水等级(Waterproof Level): IP68
 外壳材料(Material of Housing):
 titanic aluminum alloy

**MD-YALB1-5X1W**

LED芯片品牌(LED brand & type) : 台湾 (taiwan)
 功率 (Power) :5W
 工作电压 (Working Voltage) : DC11-14V
 光通量(Luminous Flux) : 400-450lm
 发光角度 (Viewing Angle) : 180°
 防水等级(Waterproof Level): IP68
 外壳材料(Material of Housing):
 高级316不锈钢(high grade stainless steel 316)

**MD-BTLDS-RGB3WCREE**

LED芯片品牌(LED brand & type) : Cree
 功率 (Power) :27W
 工作电压 (Working Voltage) : DC10-30V
 光通量(Luminous Flux) : 1800lm
 发光角度 (Viewing Angle) : 180°
 防水等级(Waterproof Level): IP68
 外壳材料(Material of Housing):
 titanic aluminum alloy

**MD-YAL80-3X2W**

LED芯片品牌(LED brand & type) : 台湾 (taiwan)
 功率 (Power) :6W
 工作电压 (Working Voltage) : DC11-14V
 光通量(Luminous Flux) : 400-450lm
 发光角度 (Viewing Angle) : 120°
 防水等级(Waterproof Level): IP68
 外壳材料(Material of Housing):
 高级316不锈钢(high grade stainless steel 316)

**MD-BTLD2-3X1W**

LED芯片品牌(LED brand & type) : Epistar
 功率 (Power) :3W
 工作电压 (Working Voltage) : DC11-14V
 光通量(Luminous Flux) : 200lm
 发光角度 (Viewing Angle) : 180°
 防水等级(Waterproof Level): IP67
 外壳材料(Material of Housing):
 高级316不锈钢(high grade stainless steel 316)

**MD-YALA1-9X3W**

LED芯片品牌(LED brand & type) : Cree
 功率 (Power) :27W
 工作电压 (Working Voltage) : DC10-28V
 光通量(Luminous Flux) : 1100-1300lm
 发光角度 (Viewing Angle) : 30°
 防水等级(Waterproof Level): IP68
 外壳材料(Material of Housing):
 高级316不锈钢(high grade stainless steel 316)

**MD-YALB1-6X1W**

LED芯片品牌(LED brand & type) : 台湾 (taiwan)
 功率 (Power) :6W
 工作电压 (Working Voltage) : DC10-30V
 光通量(Luminous Flux) : 420-500lm
 发光角度 (Viewing Angle) : 180°
 防水等级(Waterproof Level): IP68
 外壳材料(Material of Housing):
 高级316不锈钢(high grade stainless steel 316)

**MD-YALA1-6X3W**

LED芯片品牌(LED brand & type) : Cree
 功率 (Power) :18W
 工作电压 (Working Voltage) : DC10-30V
 光通量(Luminous Flux) : 750-850lm
 发光角度 (Viewing Angle) : 30°
 防水等级(Waterproof Level): IP68
 外壳材料(Material of Housing):
 高级316不锈钢(high grade stainless steel 316)

Effect

