
















Intelligent Lampholders series

picture	model	describe
	<p>E27/B22 to E27/E14 Induction lamp holder</p>	<p>Sensing angle:160° Sensing distance:6M Input voltage110-240V Rated power:60w</p>
	<p>E27/B22 to E27/E14 Head Adjustable Induction lamp holder</p>	<p>Sensing angle:160° Sensing distance:6M Input voltage110-240V Rated power:60w</p>
	<p>Induction lamp holder</p>	<p>Sensing angle:160° Sensing distance:6M Input voltage110-240V Rated power:60w</p>
	<p>E27-2E27 Induction lamp holder</p>	<p>Sensing angle:160° , Sensing distance:6M Input voltage110-240V Rated power:80W</p>
	<p>B27/B22 to E27/E14 Induction lamp holder</p>	<p>Sensing angle:360° Sensing distance:8M Input voltage110-240V Rated power:60w</p>
	<p>B27/B22 to E27/E14 Sound and light control lamp holder</p>	<p>Induction decibels:40dB Input voltage110-240V Rated power:60w</p>
	<p>Plug to E27/E14 Induction lamp holder</p>	<p>Sensing angle:360° Sensing distance:8M Input voltage110-240V Rated power:60w</p>

Multi-functional lamp holder series

picture	model	describe
	UK Square plug PP-E27/E26 PP-B22 PP-E14/E12 PP-GU10 PP-MR16/G5.3	Flame retardant PBT shell, aluminum inner ring, copper contacts flexible tube length 10CM flexible tube length 20CM flexible tube length 30CM flexible tube length 40CM flexible tube length 50CM
	EURO Round plug PP-E27/E26 PP-B22 PP-E14/E12 PP-GU10 PP-MR16/G5.3	Flame retardant PBT shell, aluminum inner ring, copper contacts flexible tube length 10CM flexible tube length 20CM flexible tube length 30CM flexible tube length 40CM flexible tube length 50CM
	PP-E27/E26 PP-B22 PP-E14/E12 PP-GU10 PP-MR16/G5.3	Flame retardant PBT shell, aluminum inner ring, copper contacts flexible tube length 10CM flexible tube length 20CM flexible tube length 30CM flexible tube length 40CM flexible tube length 50CM
	PP-E27/E26 PP-B22 PP-E14/E12 PP-GU10 PP-MR16/G5.3	Flame retardant PBT shell, aluminum inner ring, copper contacts flexible tube length 10CM flexible tube length 20CM flexible tube length 30CM flexible tube length 40CM flexible tube length 50CM
	Germany, the Middle East, Plug PP-E27/26 PP-B22 PP-GU10 PP-E14 PP-MR16/G5.3	Flame retardant PBT shell, aluminum inner ring, copper contacts flexible tube length 10CM flexible tube length 20CM flexible tube length 30CM flexible tube length 40CM flexible tube length 50CM
	PP-E27	Flame retardant PBT shell, aluminum inner ring, copper contacts flexible tube length 10CM flexible tube length 20CM flexible tube length 30CM flexible tube length 40CM flexible tube length 50CM
	E27-E27LL E27-E14LL B22-E27LL B22-E14LL B22-B22LL	Flame retardant PBT shell, aluminum inner ring, copper contacts flexible tube length 10CM flexible tube length 20CM flexible tube length 30CM flexible tube length 40CM flexible tube length 50CM


	<p>E27-2E27LL E27-2E14LL B22-2E27LL B22-2E14LL</p>	<p>Flame retardant PBT shell, aluminum inner ring, copper contacts flexible tube length 10CM flexible tube length 20CM flexible tube length 30CM flexible tube length 40CM flexible tube length 50CM</p>
	<p>E27/E26 With Switch</p>	<p>Flame Retardant PBT, Plastic Clip, Euro/UL Plug, flexible tube length 10CM flexible tube length 20CM flexible tube length 30CM flexible tube length 40CM flexible tube length 50CM</p>
	<p>E27/E26 With Switch</p>	<p>Flame Retardant PBT, Plastic Clip, Euro/UL Plug, flexible tube length 10CM flexible tube length 20CM flexible tube length 30CM flexible tube length 40CM flexible tube length 50CM</p>
	<p>E27/E26 With Switch all direction</p>	<p>Flame Retardant PBT, Plastic Clip, Euro/UL Plug,</p>
	<p>ZE27-E27 ZB22-E27 ZE27-B22 ZE27-E14 ZE27-GU10</p>	<p>Flame retardant PBT shell, copper inner ring, copper contact</p>
	<p>ZPP-E27 ZPP-B22 ZPP-E14 ZPP-GU10</p>	<p>Flame retardant PBT shell, copper inner ring, copper contact</p>
	<p>Track to E27 E14 B22 GU10</p>	<p>Flame retardant PBT shell, copper inner ring, copper contact</p>
	<p>Japan track to E27 E14 B22 GU10</p>	<p>Flame retardant PBT shell, copper inner ring, copper contact</p>

 <p>flexible metal hose 300mm</p>	E27-E27 With switch	Flame retardant PBT shell, copper inner ring, copper contact
 <p>flexible metal hose 300mm</p>	PP-E27 With switch	Flame retardant PBT shell, copper inner ring, copper contact
	E27-4E27A E40-4E27A	Flame retardant PBT housing, copper contacts
	E27-3E27A E40-3E27A	Flame retardant PBT housing, copper contacts
	E40-3E27B E27-3E27B B22-3E27B	Flame retardant PBT shell, aluminum inner ring, copper contacts
	E40-4E27B E27-4E27B B22-4E27B	Flame retardant PBT shell, aluminum inner ring, copper contacts
	E40-3+1E27B E27-3+1E27B B22-3+1E27B	Flame retardant PBT shell, aluminum inner ring, copper contacts
	E40-4+1E27B E27-4+1E27B B22-4+1E27B	Flame retardant PBT shell, aluminum inner ring, copper contacts
	E14-3E14 E27-3E14 B22-3E14	Flame retardant PBT shell, copper inner ring, copper contact




E14-4E14
E27-4E14
B22-4E14

Flame retardant PBT shell, copper inner ring, copper contact




E27-3E27 all direction
E40-3E27 all direction

Flame retardant PBT shell, aluminum inner ring, copper contacts



E27-4E27 all direction
E40-4E27 all direction

Flame retardant PBT shell, aluminum inner ring, copper contacts



E27-5E27 all direction
E40-5E27 all direction

Flame retardant PBT shell, aluminum inner ring, copper contacts



E27-3+1E27 all direction
E40-3+1E27 all direction

Flame retardant PBT shell, aluminum inner ring, copper contacts



E27-6+1E27 all direction
E40-6+1E27 all direction

Flame retardant PBT shell, aluminum inner ring, copper contacts



Short version E27-3+1E27 all direction
Short version E40-3+1E27 all direction

Flame retardant PBT shell, aluminum inner ring, copper contacts



Short version E27-6+1E27 all direction
Short version E40-6+1E27 all direction

Flame retardant PBT shell, aluminum inner ring, copper contacts






E27-3+1E27
E40-3+1E27

Flame retardant PBT shell, aluminum inner ring, copper contacts

	one line E27-3E27	Flame retardant PBT shell, aluminum inner ring, copper contacts
	one line E27-3E27 all direction	Flame retardant PBT shell, aluminum inner ring, copper contacts
	one line E27-4E27 all direction	Flame retardant PBT shell, aluminum inner ring, copper contacts
	one line E27-5E27 all direction	Flame retardant PBT shell, aluminum inner ring, copper contacts
	E27-6+1E27 E40-6+1E27	Flame retardant PBT shell, aluminum inner ring, copper contacts

Lampholder converter series

	G24D/G24Q-E27/E14/GU10	Flame retardant PBT shell, aluminum inner ring, copper contacts
	G23-E27/E14/GU10	Flame retardant PBT shell, aluminum inner ring, copper contacts
	GU24-E27/E26/E14/E12	Flame retardant PBT shell, aluminum inner ring, copper contacts



GU24 to GU10

Flame retardant PBT shell, Ceramic GU10 ,copper contacts



GU10-E12

Flame retardant PBT shell, aluminum inner ring, copper contacts



MR16/GU10-GU10

Flame retardant PBT shell, Ceramic GU10 ,copper contacts



GU10-MR16/G5.3/G4

Flame retardant PBT shell, ceramic core, copper contacts



GU10-E27/E26

Flame retardant PBT shell, aluminum inner ring, copper contacts




GU10-E14

Flame retardant PBT shell, aluminum inner ring, copper contacts



E40-E27

Flame retardant PBT shell, aluminum inner ring, copper contacts



E40-E27 ring

Iron nickel



E27-MR16

Flame retardant PBT shell, ceramic core, copper contacts



E27/B22-GX70

Flame retardant PBT housing, copper contacts



E27-GX53
E14-GX53
B22-GX53

Flame retardant PBT shell, aluminum inner ring, copper contacts



E27/26-GU10

Flame retardant PBT shell, ceramic core, copper contacts



E27-G24

Flame retardant PBT housing, copper contacts



E27/26-E40

Flame retardant PBT shell, aluminum inner ring, copper contacts



E40/E49-E40/E39

Flame retardant PBT shell, aluminum inner ring, copper contacts



E27/B22-E27L

Flame retardant PBT shell, aluminum inner ring, copper contacts, 6cm height

	<p>E27/B22-E27LA</p>	<p>Flame retardant PBT shell, aluminum inner ring, copper contacts, adjustable 10-14 cm</p>
	<p>E40-E27LA</p>	<p>Flame retardant PBT shell, aluminum inner ring, copper contacts, adjustable 10-14 cm</p>
	<p>E27/26-E27/26</p>	<p>Flame retardant PBT shell, aluminum inner ring, copper contacts</p>
	<p>E27/E26-B22</p>	<p>Flame retardant PBT shell, aluminum inner ring, copper contacts</p>
	<p>E27-E14</p>	<p>Flame retardant PBT shell, aluminum inner ring, copper contacts</p>
	<p>E27-E12</p>	<p>Flame retardant PBT shell, aluminum inner ring, copper contacts</p>
	<p>E27-GU24</p>	<p>Flame retardant PBT shell, aluminum inner ring, copper contacts</p>
	<p>E27-2E27</p>	<p>Flame retardant PBT housing, copper contacts</p>



E27-2E14

Flame retardant PBT shell, aluminum inner ring, copper contacts



B22-MR16/G4

Flame retardant PBT shell, ceramic core, copper contacts



B22-GU10

Flame retardant PBT shell, ceramic core, copper contacts



B22-E27/26

Flame retardant PBT shell, aluminum inner ring, copper contacts



B22-E14

Flame retardant PBT shell, aluminum inner ring, copper contacts



E17-E27

Flame retardant PBT shell, aluminum inner ring, copper contacts



E27-E17

Flame retardant PBT shell, aluminum inner ring, copper contacts






E14-MR16

Flame retardant PBT shell, ceramic core, copper contacts

	<p>E14-GU10</p>	<p>Flame retardant PBT shell, ceramic core, copper contacts</p>
	<p>E17 to GU10</p>	<p>Flame retardant PBT shell, ceramic core, copper contacts</p>
	<p>E27/E26 to G53</p>	<p>Flame retardant PBT shell, ceramic core, copper contacts</p>
	<p>G9-E27/E26</p>	<p>Flame retardant PBT shell, aluminum inner ring, copper contacts</p>
	<p>G9-MR16/G5.3</p>	<p>Flame retardant PBT shell, ceramic core, copper contacts</p>
	<p>G9-GU10</p>	<p>Flame retardant PBT shell, ceramic core, copper contacts</p>
	<p>G9-E14/E12</p>	<p>Flame retardant PBT shell, aluminum inner ring, copper contacts</p>
	<p>E27-G9 E14-G9 B22-G9 GU10-G9 MR16-G9</p>	<p>Flame retardant PBT shell, ceramic core, copper contacts</p>

	<p>E14-B15S E14-B15D</p>	<p>Flame retardant PBT shell, ceramic core, copper contacts</p>
	<p>E27-B15S E27-B15D</p>	<p>Flame retardant PBT shell, ceramic core, copper contacts</p>
	<p>E14-E27/E26</p>	<p>Flame retardant PBT shell, aluminum inner ring, copper contacts</p>
	<p>E14-B22</p>	<p>Flame retardant PBT shell, aluminum inner ring, copper contacts</p>
	<p>E14-E17</p>	<p>copper</p>
	<p>E12-E17 E11-E17 E10-E17</p>	<p>copper</p>
	<p>E17-E14 E17-E12 E17-E11</p>	<p>copper</p>
	<p>E12-E10 E11-E10 E10-E10</p>	<p>copper</p>
	<p>E12-E14 E11-E14 E10-E14</p>	<p>copper</p>
	<p>E12-E12 E11-E12 E10-E12</p>	<p>copper</p>



	<p>E14-E14</p>	<p>Flame retardant PBT shell, aluminum inner ring, copper contacts</p>
	<p>E14-E12/E11/E10</p>	<p>Flame retardant PBT shell, aluminum inner ring, copper contacts</p>
	<p>E14-2E14</p>	<p>Flame retardant PBT shell, aluminum inner ring, copper contacts</p>
	<p>E27-E17</p>	<p>Flame retardant PBT shell, aluminum inner ring, copper contacts</p>
	<p>E12-E27</p>	<p>Flame retardant PBT shell, aluminum inner ring, copper contacts</p>
	<p>B22-2E14</p>	<p>Flame retardant PBT shell, aluminum inner ring, copper contacts</p>
	<p>B22-2E27</p>	<p>Flame retardant PBT shell, aluminum inner ring, copper contacts</p>
	<p>B22-E12</p>	<p>Flame retardant PBT shell, aluminum inner ring, copper contacts</p>

	<p>B15D-E27/E26</p>	<p>Flame retardant PBT shell, aluminum inner ring, copper contacts</p>
	<p>B15D-MR16/G4</p>	<p>Flame retardant PBT housing, copper contacts</p>
	<p>B15D-G9</p>	<p>Flame retardant PBT housing, copper contacts</p>
	<p>B15D-GU10</p>	<p>Flame retardant PBT housing, copper contacts</p>
	<p>B15D-E14</p>	<p>Flame retardant PBT shell, aluminum inner ring, copper contacts</p>
	<p>B15D-E12</p>	<p>Flame retardant PBT shell, aluminum inner ring, copper contacts</p>
	<p>B15S-E27/E26</p>	<p>Flame retardant PBT shell, aluminum inner ring, copper contacts</p>
	<p>B15S-MR16/G4</p>	<p>Flame retardant PBT housing, copper contacts</p>

	<p>B15S-G9</p>	<p>Flame retardant PBT housing, copper contacts</p>
	<p>B15S-GU10</p>	<p>Flame retardant PBT housing, copper contacts</p>
	<p>B15S-E14</p>	<p>Flame retardant PBT shell, aluminum inner ring, copper contacts</p>
	<p>B15S-E12</p>	<p>Flame retardant PBT shell, aluminum inner ring, copper contacts</p>
<p>Some lamphoder</p>		
	<p>E14 Flat lamp holder</p>	<p>Flame retardant PC shell, aluminum inner ring, copper contacts</p>
 <p>E14</p>	<p>E14 Bevel Lamp holder</p>	<p>Flame retardant PC shell, aluminum inner ring, copper contacts</p>
	<p>E27 Flat lamp holder</p>	<p>Flame retardant PC shell, aluminum inner ring, copper contacts</p>
	<p>E27-60 Bevel Lamp holder</p>	<p>Flame retardant PC shell, aluminum inner ring, copper contacts</p>

	E27-90 Flat lamp holder	Flame retardant PC shell, aluminum inner ring, copper contacts
	E27 Tower shape Flat lamp holder	Flame retardant PC shell, aluminum inner ring, copper contacts
	E27 Color lamp holder	Flame retardant PC shell, aluminum inner ring, copper contacts
	E27 ceramics Lamp holder	Metal shell, ceramic core, copper contacts
	E27 ceramics all direction Lamp holder	Metal shell, ceramic core, copper contacts
	E27 Wall lamp holder	Flame retardant PC shell, aluminum inner ring, copper contacts.线长90CM
	E27 3+1 Wall lamp holder	Flame retardant PC shell, aluminum inner ring, copper contacts.线长90CM
	E27 6+1 Wall lamp holder	Flame retardant PC shell, aluminum inner ring, copper contacts.线长90CM

	<p>E12 lamphoder with wire</p>	<p>Flame retardant PBT shell, aluminum inner ring, copper contacts</p>
	<p>E27 E14 with wire</p>	<p>Flame retardant PBT shell, aluminum inner ring, copper contacts 2M 3M 5M 10M</p>
	<p>lamphoder to test LED lamps</p>	<p>Flame retardant ABS shell, stainless steel shrapnel, copper contacts</p>
	<p>E27 lampholder with dimmer</p>	<p>Flame retardant PBT shell, aluminum inner ring, copper contacts, 1.8M wire</p>
	<p>E14 lampholder with wire</p>	<p>Flame retardant PBT shell, aluminum inner ring, copper contacts</p>
	<p>CE PP-E27/E14</p>	<p>Flame retardant PBT shell, aluminum inner ring, copper contacts</p>
	<p>UL PP-E27/E14</p>	<p>Flame retardant PBT shell, aluminum inner ring, copper contacts</p>
	<p>UL PP-E27/E14 B</p>	<p>Flame retardant PBT shell, aluminum inner ring, copper contacts</p>

	CE PP-E27/E14 B	Flame retardant PBT shell, aluminum inner ring, copper contacts
	小夜灯灯座国标，欧规	Flame retardant PBT shell, aluminum inner ring, copper contacts

Some lamphoder

picture	model	describe
	GX70 Thick version	Flame retardant PBT housing, copper contacts
	GX70 Thin version	Flame retardant PBT housing, copper contacts
	G13-R17D	Flame retardant PBT housing, copper contacts
	GX53	Flame retardant PBT housing, copper contacts
	GU10	ceramic 0.5*10CM
	GU10	ceramic .0.5 *20CM
	MR16/G4	ceramic 0.5*10CM

	<p>Bronze lamp holder</p>	<p>Aluminum nickel, bakelite core</p>
	<p>Bronze ribbon with switch holder</p>	<p>Aluminum nickel, bakelite core</p>
	<p>Bronze 38/68 lamp holder</p>	<p>Aluminum nickel, bakelite core</p>
	<p>Bronze 47/66 lamp holder</p>	<p>Aluminum , PBT core</p>
	<p>Bronze 45/78 lamp holder</p>	<p>Aluminum , PBT core</p>
	<p>Bronze 45/73 lamp holder</p>	<p>Aluminum , PBT core</p>
	<p>Bronze 50/58 lamp holder</p>	<p>Aluminum , PBT core</p>
	<p>Chandelier lamp holder</p>	<p>Aluminum , PBT core</p>



Chandelier lamp holder

Aluminum , PBT core



E27

Flame retardant PBT housing, copper contacts



E14

Flame retardant PBT housing, copper contacts



E12

Flame retardant PBT housing, copper contacts



E27 Full teeth, half tooth

Flame retardant PBT housing, copper contacts



E14 Full teeth, half tooth

Flame retardant PBT housing, copper contacts



GU10 Junction Box 923



GU10 Junction Box 230



E27/E14/GU10 Post Holder



R7S ceramic

78MM
118MM
135MM



S14D wall light lampholder

Copper contacts, PC housing



S14S wall light lampholder

Copper contacts, PC housing