


Unique G23 LED PL Light Ballast Compatible

2-pack G23 2-Pin LED PL Retrofit Lamp Single or tandem use without remove ballast
Replace 13W G23 CFL Horizontal Recessed Down Light .

- ★ Power: 6w±0.5w 550-600lm
- ★ 30pcs high brightness Epistar 2835 SMD chips
- ★ Single or tandem use without remove ballast Replace
- ★ Dimension: 166*32.5*21.6mm (6.56*1.28*0.85inches)
- ★ Input Voltage: AC 230V 50/60Hz 13W CFL replacement
- ★ Light Color: 2700-3000K/3800-4300K/5800-6300K
- ★ Lamp Base: G23 2-Pin Base
- ★ Beam angle: 180°
- ★ CRI≥80Ra







Two Row led chips design VS others any one row

The highest lumen output G23 bulb



- * 30pcs led SMD2835 Chips 100-120lm/w
- * CRI 80 3000K/4000K/5000K/6000K Optional
- * Tandem use without remove ballast / starter

No Flicker

Ours: No Flicker, almost no shadow
Others: Flicker, disgusting shadow

Stop Continue To Be Vision Killer Right Now!!!

Biurred Vision Eye Fatigue Dry Eyes Myopia

No Blue Light Hazard


Ordinary G23 PL lamp blue ratio
Our LED G23 lamp blue ratio

MELODY INT'L GROUP LTD


This lamp is designed for general lighting service.(excluding for example explosive atmospheres) and this lamp is suitable for use in below 2 ways.

1.1 single use: direct use on AC 230v.

1.2 Tandem use: 2 pcs directly replace traditional CFL G23 and without remove ballast



Single use



Tandem use